

## ***The Beckerath Organ Specifications***

<b>Manual</b>	58 notes		<b>Pedal</b>	32 notes	
Mechanical key action			Electrical stop action		
49 stops, 74 ranks, 3665 pipes					
<b>Great</b>			<b>Pedal</b>		
(Wind pressure: 70mm - 2.8 inches)			(Wind pressure: 80mm - 3.2 inches)		
	<b>Pipes</b>			<b>Pipes</b>	
	16' Pommer	58		32' Resultant	32
	8' Principal	58		16' Principal	32
	8' Spielflöte	58		16' Subbass	32
	4' Octave	58		8' Octave	32
	4' Hohlflöte	58		8' Gedackt	32
	2-2/3' Quinte	58		4' Octave	32
	2' Octave	58		2' Nachthorn	32
	2' Flachflöte	58		5-1/3' Basszinc 3r	96
	1-1/3' Mixture 5r	290		2' Mixtur 6r	192
	2/3' Scharf 3r	174		32' Fagott	32
	Cornet 5r (tenorg)	195		16' Posaune	32
	8' Trumpet	58		8' Trumpet	32
	4' Trumpet	58		4' Schalmey	32
	Cymbelstern				

<b>Ruckpositiv</b>					
(Wind pressure: 65mm- 2.6 inches)					
	<b>Pipes</b>			<b>Couplers</b>	
	8' Holzgedackt	58		Swell/Great	
	8' Quintadena	58		Positiv/Great	
	4' Principal	58		Swell/Positiv	
	4' Rohrflöte	58		Great/Pedal	
	2-2/3' Sesquialtera	116		Positiv/Pedal	
	2' Octave	58		Swell/Pedal	
	1-1/3' Larigot	58			
	1' Scharf 4r	232		Tremolo- Swell	
	16' Ranket	58		Tremolo- Positiv	
	8' Cromorne	58			
Combination action (capture type)					
<b>Swell</b>					
(Wind pressure: 72mm- 2.9 inches)					
	<b>Pipes</b>				
	8' Rohrflöte	58		6 Generals	(pistons and toe studs)
	8' Gemshorn	58		5 Positiv	pistons
	8' Celeste	46		5 Swell	pistons
	4' Principal	58		5 Pedal	toe-studs

	4' Blockflöte	58			
	2-2/3' Nasat	58		Setter	
	2' Octavin	58		Cancel	
	1-3/5' Tierce	58		Mechanical swell pedal	
	1' Sifflöte	58			
	1-1/3' Plein Jeu - 5r	290			
	16' Dulzian	58			
	8' Hautbois	58			
	4' Musette	58			